

30 INCH BOTTOM-FREEZER REFRIGERATOR

BRFB1822SSN / BRFB1822SSLN



Contemporary European Design

Blomberg refrigerators harmonize refined design sensibilities with the demand for functional excellence. Thoughtful decisions include a streamlined counter-depth design for the clean sight lines you covet, reversible doors for ultimate flexibility, plus a luxurious stainless steel finish that resists fingerprints and makes cleaning effortless. Boldly beautiful Euro-style handles combine sophistication and strength to complement both your aesthetics and your active life. Inside, theatrical LED lighting brilliantly illuminates every corner while conserving energy. Prominent digital display puts complete control within easy reach.

In Harmony with Nature

Blomberg understands living well also means living intelligently and responsibly. It's a distinction that earned us the ENERGY STAR® 2017 Partner of the Year award. Featuring innovative technology that safeguards your food and ensures maximum freshness, our ENERGY STAR certified refrigerators also conserve energy, save money, and help protect the planet. The ultimate in eco-friendly engineering, Blomberg refrigerators are built with 99.9% lead-free materials, 100% free from ozone-depleting greenhouse gases, and manufactured with 85% recyclable components.

In Harmony with Your Life



Duo-Cycle Cooling

Ingenious Blomberg refrigerators are equipped with advanced multi-cycle, no-frost, silent cooling technology. Independently zoned and controlled cooling systems maintain even air temperature and humidity in separate freezer and fresh-food compartments, delivering enhanced food preservation and maximum energy efficiency. No air transfer between compartments means food in the freezer section freezes faster, items in the refrigerator stay fresher longer, and odors don't circulate.



Blue Light Technology

Exclusive Blomberg Blue Light Technology represents a breakthrough in keeping fruits and vegetables fresh and juicy long after they're picked. Continuous blue light rays illuminate the crisper and allow the natural process of photosynthesis to continue, prolonging storage life and preserving natural flavors, colors, textures, and nutrients.



IonFresh

This exceptional Blomberg technology simulates a natural process to bring pure freshness to your kitchen. By producing negative ions inside the refrigerator, Ion Fresh captures and neutralizes airborne bacteria, odor-causing microbes, and ethylene gas, extending the life of fresh fruits and vegetables and keeping circulated air clean and fresh smelling.



Automatic Ice Machine

Whether you are getting ready for a big party or just keeping up with your busy family life, there is never a need to rush out and buy ice. The Blomberg automatic icemaker can produce up to 6 pounds of ice per day.

30 INCH BOTTOM-FREEZER REFRIGERATOR

BRFB1822SSN / BRFB1822SSLN



Fridge Features

Duo Cycle Cooling
Blue light technology
IonFresh
Inner digital display
Flexi-rack
Finger print free stainless steel
Interior theatre lighting with LED lights

Freezer Features

Automatic ice machine
3 freezer drawers

Dimensions


H x W x D: 67 3/4" x 29 1/8" x 28 5/16"
Depth is with door / without handles

CONTROLS	BRFB1822 Series
Cooling system	Duo Cycle Frost Free Cooling
Control system	Electronic Control
CAPACITIES	
Total net volume, cu. ft.	16.2
Fresh food net volume, cu. ft.	11.1
Freezer net volume, cu. ft.	5.1
FRIDGE FEATURES	
Blue light technology	Yes
Flexizone	No
IonFresh	Yes
Carbon filter	Yes
Interior filtered water dispenser	No
Filtered ice & water dispenser through door	No
Electronic control display type	Digital inner display
Auto defrost	Yes
Inner illumination	LED - Side walls
Shelves	3 Safety Glass
Crispers	1
Door racks	3
Wine rack	Yes
Bottle gripper	No
Compressor	Variable Speed VCC
Fan ventilation	Yes
FREEZER FEATURES	
Auto defrost	Yes
Number of freezer drawers	3
Automatic ice maker	yes
Ice cube tray	No
TECHNICAL INFORMATION	
Supply voltage, V/Hz	120V/ 60Hz
Rated Current, A	1.7 A
Noise level, dBA	44
DIMENSIONS	
HxWxD, in	67 3/4" x 29 1/8" x 28 5/16"
Product weight, lbs.	198
HxWxD, cm	172 x 74 x 72
Product weight, kg	90
PERFORMANCE	
Energy Star qualified	Yes
Climatic class	T
Annual energy consumption, kwh/year	528
Cooling gas	R600a
COLOR OPTIONS	
Stainless Steel	BRFB1822SSN
Left Hinge Door LN	BRFB1822SSLN


30 INCH BOTTOM-FREEZER REFRIGERATOR

BRFB1822SSN / BRFB1822SSLN


Dimensions and Installation



Plumbing



Electrical



*Drawers can be pulled out with door open 90°

Dimensions	Height to top of door, in.	67 3/4"
	Height to top of hinge, in.	67 3/4"
	Height to top of case, in.	67 5/16"
	Case depth without door, in.	25 5/8"
	Case depth less door handle, in.	28 5/16"
	Case depth with door handle, in.	29 9/16"
	Depth with fresh door open 90°, in.	55 1/2"
	Width, in.	29 1/8"
	Width with door open 90° including door handle, in.	30 7/8"
Air Gap Clearances	Each Side, in.	1/4"
	Top, in.	1"
	Back, in.	3/4"

NOTE TO THE INSTALLER: All height, width and depth dimensions are shown in inches (as well as metric). Beko US Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website www.blombergappliances.us or call 888 352 2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.



FFGC3026SS

Frigidaire 30" Gas Cooktop

SIGNATURE FEATURES

AVAILABLE COLORS



Black



White



Continuous Grates

Move heavy pots & pans without lifting with continuous light cast iron grates.



Sealed Gas Burners

Enjoy easier cleanup and a burner that stays looking great.



Low Simmer Burner

Perfect for delicate foods and sauces.



Color-Coordinated Control Knobs

White, Black and Bisque cooktops come with matching knobs — while Stainless Steel models feature our neutral black knobs.

CERTIFICATIONS

ADA Compliant



CSA Certified

FFGC3026SS

Frigidaire 30" Gas Cooktop

FRIGIDAIRE

General Specifications

Product Weight	99.75 lbs
Prop 65 Label	Yes
Warranty - Labor	1 Year
Warranty - Parts	1 Year
Power Type	Gas
Size	30"
Installation Type	Drop-In
Collection	Frigidaire

Display

Display Type	Mechanical
--------------	------------

Dimensions and Volume

Height	4 1/4"
Width	30"
Depth	21 3/4"

Exterior

Cooktop Finish	Stainless Steel
Knob Color	Stainless Steel
Knob Material	Plastic

Installation

Gas Supply Connection Location	Right Center
Installed Over a Wall Oven	Yes

Cooking Controls

Warm Zone	No
Control Location	Front

Cooktop

Grate Finish	Matte Black
Grate Material	Cast Iron
Grate Quantity	2
Grate Style	Continuous
Sealed Burners	Yes
Right Front Element Burner	15,000 BTU
Right Rear Element Burner	5,000 BTU
Left Front Element Burner	12,000 BTU
Left Rear Element Burner	9,500 BTU

Safety Certifications & Approvals

CSA Listed	Yes
UL Listed	Yes
ADA Compliant	Yes

Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca.

Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

FFGC3026SS
©2017 Electrolux Home Products, Inc.

FFEW3026TS

Frigidaire 30" Single
Electric Wall Oven

SIGNATURE FEATURES

AVAILABLE COLORS



Black
Stainless
Steel



White



Black



Even Baking Technology

Our Even Baking Technology ensures even baking every time.



Self-Cleaning

Your oven cleans itself - so you don't have to. Self clean options available in 2, 3, and 4-hour cycles.



Vari-Broil™ Temperature Control

Allows you to choose between two heat levels.



ADA Compliant

Product complies with the Americans with Disabilities Act.¹

MORE EASY-TO-USE FEATURES

Delay Clean Option

Set the oven to begin cleaning on your schedule.

Delay Start Baking Option

Set your oven to begin cooking on your schedule. It can be programmed from one to 24 hours.

Oven Rack Handles

Oven racks are designed with space for you to easily pull out the racks, even when wearing an oven mitt.

Ready-Select® Controls

Easily select options or control cooking temperature with our easy-to-use controls.

CERTIFICATIONS

ADA Compliant



FFEW3026TS

Frigidaire 30" Single Electric Wall Oven

FRIGIDAIRE

Dimensions and Volume

Height	29"
Width	30"
Depth	24 3/4"
Depth With Door 90° Open	45 3/4"
Oven Interior Height	17 1/2"
Oven Interior Width	24 1/8"
Oven Interior Depth	18 3/4"
Oven Capacity	4.6 Cu. Ft.

Exterior

Handle Color	Stainless Steel
--------------	-----------------

Safety Certifications & Approvals

UL Listed	Yes
ETL Listed	No
ADA Compliant	Yes

Oven

Bake System	Yes
Bake Element Type	Hidden
Broil System	Yes
Broil Element Pass	6
Broil Element	3,400 Watts
Rack Position Type	Nickel Ladder
Number of Rack Positions	5
Rack Type 1	Handle
Rack Type 1 Quantity	2
Window Type	Large

Installation

Frigidaire Fit Promise	Yes
Product Weight	133 lbs
Prop 65 Label	No
Warranty - Labor	1 Year
Warranty - Parts	1 Year
Power Type	Electric
Size	30"
Installation Type	Built-In
Collection	Frigidaire

Installation

Power Supply Connection Location	Bottom Left
Under Counter Installation	Yes

Cooking Controls

Bake	Yes
Broil	Yes
Cancel	Yes
Cook Time	Yes
Keep Warm	Yes
Kitchen Timer	Yes
Lockout	Yes
Oven Light	Yes
Preheat	Yes
Self Clean	Yes
Set Clock	Yes
Sabbath Mode	Yes

Display

Display Type	Membrane
--------------	----------

Electrical Specifications

Minimum Circuit Required	20 Amps
Voltage Rating	240 V

Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca.

Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

FFEW3026TS
©2017 Electrolux Home Products, Inc.

CRISTAL SS SLIDE OUT RANGE HOOD



POWERFUL, PRACTICAL, EFFICIENT SLIDE OUT RANGE HOOD. For a streamlined look in the kitchen, the Cristal SS slide out hood is your integrated choice with a Stainless Steel pull-out visor which slides in, neatly tucking the hood away. For total integration, the front visor panel can be replaced with material to match your cabinets. NEW - WITH ENERGY EFFICIENT LED LIGHTS AND A CONVENIENT POWER PLUG

**NOW WITH LED
BULBS AND POWER
PLUG
600, 400, 300 CFM
versions**

**Now with a Black Stainless
Trim Kit!**

AVAILABLE MODELS

Model #	Size / Color	Motor Class (CFM)	Sound Levels (sones)
CRIS30SS600	30 SS	600	3.5 - 6.5
CRIS36SS600	36 SS	600	3.5 - 6.5
CRIS30SS400	30 SS	400	3.0 - 6.0
CRIS36SS400	36 SS	400	3.0 - 6.0
CRIS30SS300	30 SS	300	2.0 - 5.0
CRIS36SS300	36 SS	300	2.0 - 5.0

KEY FEATURES



Auto on/off with pull out visor

Lights and fan turn on automatically when you slide the hood visor out.




VariDuct System

Top and Rear Direct Venting
Easy kitchen integration with top and direct rear venting and recirculation options.



EasySnap Mounting Clips

Installation with easy built-in adjustable clips that tighten onto the sides of the cabinet floor.



Fully Customizable Front Trim

Front visor trim can easily be integrated into your kitchen decor with accessory kit panels or fully customize for your own kitchen.

CRISTAL SS

SLIDE OUT RANGE HOOD


FABER
AIR MATTERS

SPECIFICATIONS


cabinet cut out	25 1/2" or 31 1/2" (W) x 10" (D)
convertible to ductless / recirculating	yes - with FILTER1 & FILTER1LL
controls	3 speed slider
mounting height from cooking surface	24" - 30"
lighting	2 x 3 (w) LED (NEW)
ducting top / direct rear vent (Vari-Duct)	6" round
grease filters	4 dishwasher safe mesh filters
auto on/off	yes - fan/lights turn on when pulled out
make up air compliant *	yes - 400 OR 300 cfm version option
integrate front panel	yes - use your own custom front

PERFORMANCE

MODEL	SPEED 1	2	3
SS600	335	450	560
SS400	250	350	390
SS300	100	200	290



Cabinet Cut Out 30" and 36"



Front View

ACCESSORIES

FILTER1 - Charcoal Filter Kit

High quality charcoal filter for use when recirculating the air back into the kitchen. Filters out odor and should be replaced every 6 months or earlier depending on use

FILTER1LL - Long Lasting Charcoal Filter Kit

New washable charcoal filter can be recharged and washed up to 8 times. For use when recirculating the air back into the kitchen. Filters out odor and can last up to 4 years

MUDAMPER6 / MUDAMPER8 - Universal Make-Up Air Damper

Satisfies make-up air requirements, this kit uses an air switch to activate the make-up air damper to open and bring fresh air into the home when the hood fan is on. It then closes tightly when the hood is off. The CFM level is not reduced with this accessory.

CRTRIM30WH - (30" white)

CRTRIM30BK - (30" black)

CRTRIM36WH - (30" white)

CRTRIM36BK - (30" black)

Front Trim Kit

Replace the stainless trim on the slide out hood with a black or white trim.

CRTRIM30BS - (30" black)


Black Stainless Front Trim Kit

CRTRIM36BS - (36" black)


Black Stainless Front Trim Kit

WIREBOX - Fixed Wiring Box

Replace the power cord with a hard wired box to power the range hood




Side View Top Vent



Side Direct Rear Vent

Custom Front Trim Dimensions



30" or 36"

WARNING! Product specifications are subject to change without notification. Consult the installation instructions before you begin installing this range hood. * Check local make up air codes for guidelines.





IN HARMONY WITH NATURE,
YOUR LIFE, AND YOU.

Blomberg®

seit 1883

24" Tall Tub, Front Control Dishwasher

DWT52600 SERIES

Color Options: DWT52600SSIH Stainless Steel



DWT52600WIH White



DWT52600BIH Black



FEATURES

- Touch Control
- 6 Programs
- Silent Operation: 48 dBA
- Extra Rinse Function
- Sanitize Function
- Easy Installation
- Concealed Heating Element
- Adjustable Feet and Self-adjustable Hinge

FINISH

Fingerprint-free Stainless Steel

DIMENSIONS (H x W x D)

33⁷/₈ x 23⁹/₁₆ x 22⁷/₁₆ in.

CONTROLS

Control Type	Electronic Touch Control
Position	Front

MAIN FEATURES

Loading Capacity (Place Settings)	14
Tub Material	Stainless Steel
DMFS Overflow Protection	Overflow Safety
5 Level Wash	Yes
Delay Timer	1/2 – 24 hours
Drying System	Static
Brushless DC™ Motor	Yes
Turbidity Sensor	Yes
Silent Operation	48 dBA
All-in-1 Tablet Function	Automatic
Detergent Dispenser Type	Sliding Lid
Interior High Loop with Air Gap	Yes

FUNCTIONS

Half Load Function	Yes
Sanitize Function	Yes
Extra Rinse Function	Yes
RapidClean Function	Yes

PROGRAMS

Number of Programs	6
Pots and Pans+ (167°F)	Yes
Regular Wash (142 – 145°F)	Yes
Express Dry	Yes
China/Crystal (149°F)	Yes
Quick Wash (131°F)	Yes
Rinse & Hold	Yes
ProCare	Yes

DISPLAY

Rinse Aid Indicator	Yes
---------------------	-----

RACK SYSTEM


Cutlery Basket	Sliding
Upper Rack (Inset Shelves)	2
Adjustable Upper Rack	Fixed
Lower Basket Wine Glass Holder	Yes
Knife Accessory	Yes

DIMENSIONS (DWT52600SSIH)

H x W x D	33 ⁷ / ₈ x 23 ⁹ / ₁₆ x 22 ⁷ / ₁₆ in. (86.1 x 59.8 x 57 cm)
Product Weight	83.33 lb. (37.8 kg)
Packed H x W x D	35 x 25 ⁹ / ₁₆ x 26 in. (88.9 x 64.4 x 66.1 cm)
Packed Weight	89.94 lb. (40.8 kg)

ENVIRONMENTAL STANDARDS

ENERGY STAR® Qualified	Yes — Most Energy Efficient 2018
Energy Consumption	234 kWh / year
Water Consumption	3.5 – 5.0 gal. / cycle



DIMENSIONS (DWT52600SSIH)	
H x W x D	33 7/8" x 23 9/16" x 22 7/16" in. (86.1 x 59.8 x 57 cm)
Product Weight	83.33 lb. (37.8 kg)
Packed H x W x D	35 x 25 3/8" x 26 in. (88.9 x 64.4 x 66.1 cm)
Packed Weight	89.94 lb. (40.8 kg)

DIMENSIONS (DWT52600BIH)	
H x W x D	33 7/8" x 23 9/16" x 22 7/16" in. (86.1 x 59.8 x 57 cm)
Product Weight	82.89 lb. (37.6 kg)
Packed H x W x D	35 x 25 3/8" x 26 in. (88.9 x 64.4 x 66.1 cm)
Packed Weight	89.5 lb. (40.6 kg)

DIMENSIONS (DWT52600WIH)	
H x W x D	33 7/8" x 23 9/16" x 22 7/16" in. (86.1 x 59.8 x 57 cm)
Product Weight	83.55 lb. (37.9 kg)
Packed H x W x D	35 x 25 3/8" x 26 in. (88.9 x 64.4 x 66.1 cm)
Packed Weight	90.16 lb. (40.9 kg)

NOTE TO THE INSTALLER: All height, width, and depth dimensions are shown in inches (as well as metric). Beko US Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website at www.BlombergAppliances.com or call 888.352.2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials, or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.

IN HARMONY WITH NATURE, YOUR LIFE, AND YOU.

LG LAUNDRY

WM3488H_

2.3 cu.ft. Compact All-In-One Washer/Dryer

- 2.3 cu.ft. Capacity
- Compact All-In-One Washer/Dryer Combo
- 14 Wash Programs
- 1,400 RPM
- Ventless Condensing Drying
- Internal Heater
- NFC Tag On
- Available in White and Silver



CAPACITY	
Capacity	2.3 cu. ft.
APPEARANCE	
Design Look	Front Control
Touch LED Display	•
Dial-A-Cycle™	•
WASH/DRY PROGRAMS	
No. of Programs	14
Wash Programs	Cotton/Normal, Bulky/Large, Baby Wear, Perm. Press, Delicates, Hand Wash/Wool, Speed Wash, Tub Clean, Sanitary, Heavy Duty, Drain+Spin, Wash+Dry, Sports Wear, Downloaded Course
No. of Options	10
Options	Prewash, Rinse+Spin, Delay Wash(Time Delay), Water Plus, Extra Rinse, Child Lock, Signal (Beeper) On/Off, Steam, Custom PGM, PGM Save
No. of Wash/Rinse Temps	5
	Extra Hot, Hot, Warm, Cold, Tap Cold (All Cold Rinses)
Spin Speeds	Extra High (1,400 max.), High, Medium, Low, No Spin
No. of Water Levels	Automatically adjusts to the size of load
No. of Soil Levels	3
Internal Heater	•
Ventless Condensing Dryer	•
Drying Levels	More Dry, Normal Dry, Damp Dry, Low Temp Dry
Manual Dry Times	120, 60., 30 minutes
CONVENIENCE FEATURES	
TrueBalance™ Anti-Vibration System"	•
4 Tray Dispenser	•
LoDecibel™ Quiet Operation	•
End of Cycle Beeper	•
LoadSense	•
Forced Drain System	•
SMART THING™ TECHNOLOGY	
SmartDiagnosis™	•
NFC Tag On Technology	•

MOTOR AND AGITATOR	
Motor Type	Inverter Direct Drive Motor
Motor Speed	Variable
Max RPM	1,400
Axis	Horizontal
MATERIALS AND FINISHES	
NeveRust™ Stainless Steel Drum	•
Cabinet	PCM
Control Panel	Plastic
Top Plate	TBD
Door Rim	Glass/Chrome
Door Cover	Black Tinted Cover
Door Opening	13.8"
Available Colors	White (W), Silver (S)
POWER SOURCE	
Ratings	TBD
Electrical Requirements	120V, 10 Amps
Type	Electric
ACCESSORIES	
Hose Included	•
DIMENSIONS	
Product (WxHxD)	24" x 33 1/2" x 25 1/4" (45" D with door open)
Carton (WxHxD)	26" x 35 3/4" x 27 3/4"
Weight (Product/Carton)	156.5 lbs / 165.3 lbs
LIMITED WARRANTY	
1 Year Parts and Labor, 10 Years Motor, Lifetime on Drum	
UPC CODES	
WM3488HW Washer/Dryer (White)	048231 016988
WM3488HS Washer/Dryer (Silver)	048231 016995